POPULATION ESTIMATES	LONG-TERM CARE	LOCAL HEALTH DEPARTMENTS			
Total 2003 Population 160, 180 Population per square mile 365	Community Options and MA Waiver as HSRS reports costs for services	Per 10,000 Staffing - FTE Number Population Total staff 52.0 3.3			
Age Female Male Total 0-14 14,660 15,380 30,030 15-19 6,160 6,010 12,160 20-24 7,080 7,390 14,480	Clients Costs COP 36 \$606, 374 MA Waiver * CIP1A 33 \$2, 389, 901 CIP1B 237 \$8, 590, 542 CIP2 116 \$1,643,823	Total staff 52.0 3.3 Administrative 4.4 0.3 Public health nurses 22.4 1.4 Other prof. staff 10.6 0.7 Technical/Paraprof. 7.3 0.5 Support staff 6.4 0.4			
25-29 4, 810 5, 550 10, 370 30-34 4, 910 5, 510 10, 420 35-39 5, 710 6, 160 11, 860 40-44 6, 550 6, 840 13, 400	CI P1A 33 \$2, 389, 901 CI P1B 237 \$8, 590, 542 CI P2 116 \$1, 643, 823 COP-W 269 \$2, 833, 429 CSLA 81 \$759, 319 Brain I nj ury 8 \$348, 860 Total COP/Wvrs 780 \$16, 565, 874	Fundi ng Per capi ta Total \$3,682,319 \$23.01 Local Taxes \$1,696,339 \$10.60			
45-54 11, 240 11, 750 23, 000 55-64 7, 350 7, 130 14, 480		LI CLISED ESTADEI STIMENTS			
53-64 7, 330 7, 130 14, 480 65-74 5, 190 4, 520 9, 710 75-84 4, 290 2, 840 7, 120 85+ 2, 220 920 3, 130 Total 80, 170 80, 010 160, 180	\$802,355 of the above waiver costs were paid as local match/overmatch using COP funds. This amount is not included in above COP costs. * Waiver costs reported here	Type Capacity Facilities Bed & Breakfast 10 4 Camps 1,069 17 Hotels, Motels 1,828 35 Tourist Rooming 16 5 Pools 77			
Age Female Male Total 0-17 18,350 19,040 37,370 18-44 31,530 33,800 65,350	i ncl ude federal fundi ng.	Pool s 77 Restaurants 685 Vending 18			
45-64 18, 590 18, 880 37, 480 65+ 11, 700 8, 280 19, 960 Total 80, 170 80, 010 160, 180	Clients Costs Eligible and Waiting 254 n/a	WI C. DADTI CI DANTO			
Poverty Estimates for 2000	(Family Care not provided in county)	WIC PARTICIPANTS			
Estimate (C.I.+/-) All ages 10,479 495 6.7% (5%) Ages 0-17 2,632 218 7.0% (8%)	Note: Eligible and waiting clients will be phased into the COP and MA Waivers as available.	Pregnant/Postpartum 1,110 Infants 1,185 Children, age 1-4 1,665 Total 3,960			
Average wage for jobs covered by unemployment compensation \$36,253 (place of work) Annual	Home Health Agencies 5 Patients 1,483 Patients per 10,000 pop. 93	CANCER INCIDENCE (2002) Primary Site Breast 105 Cervical 5 Colorectal 96			
Labor Force Estimates Average Civilian Labor Force 92,522 Number employed 87,653 Number unemployed 4,869 Unemployment rate 5.3	Nursi ng Homes 10 Li censed beds 1,141 Occupancy rate 89.5% Resi dents on Dec. 31 1,048 Resi dents age 65 or ol der	Lung and Bronchus 86 Prostate 132 Other sites 357 Total 781			
Unemployment rate 5.3	per 1, 000 popul ati on 49	Note: Totals shown are for invasive cancers only.			

				NATA	IITY					
TOTAL LIVE BIRTHS		1, 745	Birth Order		Bi rths	Percent	Mari tal	Status		
TOTAL LIVE BIRTIS		First		744	43	of Mothe		Bi rths	Percent	
Crude Live Birth Rate	h Rate 10.9		Second		590	34	Marri ed		1, 290	74
	eneral Fertility Rate 49.5		Thi rd		259	15	Not mar		455	26
deneral relitivity Rat	eneral relitivity rate 49.5		Fourth or	hi abor	257 152	9	Unknown		455	0
Live births with reported		Unknown	ili gilei	0	0	UTINITIOWIT		U	U	
congenital enemalies	ii teu 4	1 2.3%	ULIKLIOWLI		U	U	Educatio	n		
congenital anomalies	4	1 2.3%					Education		D: m+ha	Percent
Dalissams Toma	D: .adda.a	D	1-4 D4-1	\/: ~! ±	D: .adda.a	Damasant	of Mothe		Bi rths	
Delivery Type	BILLINS	Percent	1st Prenatal			Percent	Erement	ary or les	ss 22	1
Vagi nal after	0.5	4	1st trimes		1, 495	86	Some ni	gh school	182	10
_previ ous cesarean	25	1	2nd trimes	ster	160	9 1	High so	nool	569	33
Forceps Other vaginal Primary cesarean	28	2	3rd trimes	ster	26	1	Some co	l I ege	395	23
Other vaginal	1, 329	76	No visits		63 1	4	Col Lege	graduate	558	32
Primary cesarean	234	13	Unknown		1	<. 5	Unknown		19	1
Repeat cesarean	129	7								
·			Prenatal Vis	si ts	Bi rths	Percent	Smoki ng	Status		
Birthweight	Bi rths	Percent	No visits		63	4	of Motře	r	Bi rths	Percent
<1,500 gm	22	1. 3	1-4		27	2	Smoker		271	16
1,500-2,499 gm	95	5. 4	5-9		266	15		er		84
2, 500+ gm	1.627	93. 2	10-12		761	44	Unknown	1	1	<. 5
Unknown	1	<. 5	13+		628	36			-	
<1,500 gm 1,500-2,499 gm 2,500+ gm Unknown	•	1. 0	Unknown		0	0				
			Low Birthweig	nht		Tri mest	er of Firs	t Prenatal	Visit	
			Low Birthweig	ght am)	1st Tr	Trimest imester	ter of Firs 2nd Tri			'Unknown
Race/Fthnicity	Births P	ercent	(under 2,500)	(gm)	1st Tr Births	imester	2nd Tri	mester	Other/	'Unknown Percent
Race/Ethni ci ty	Births P		(under 2,500 Births Perce	gm) ent	Bi rths	imester Percent	2nd Tri Bi rths	mester Percent	Other/ Bi rths	Percent
White Black/Afr American	1, 579 14	90 1	(under 2,500 Births Perce 107 6.	gm) ent 8	Bi rths 1, 387	imester Percent 88	2nd Tri Bi rths 119	mester Percent 8	Other/	Percent 5
White Black/Afr American	1, 579 14	90 1	(under 2,500 Births Perce 107 6. 2 14.	gm) ent 8 3	Bi rths 1, 387 12	imester Percent 88 86	2nd Tri Bi rths 119 1	mester Percent 8 7	Other/ Bi rths	Percent 5 7
White Black/Afr American	1, 579 14	90 1	(under 2,500 Births Perce 107 6. 2 14. 1 6.	gm) ent 8 3 7	Bi rths 1, 387 12 10	imester Percent 88 86 67	2nd Tri Bi rths 119 1 4	mester Percent 8 7 27	Other/ Bi rths 73 1 1	Percent 5 7 7
White Black/Afr American	1, 579 14	90 1	(under 2,500 Births Perce 107 6. 2 14. 1 6. 3 4.	gm) ent 8 3 7 1	Bi rths 1, 387 12 10 53	i mester Percent 88 86 67 72	2nd Tri Births 119 1 4 14	mester Percent 8 7 27 19	0ther/ Bi rths 73 1 1 7	Percent 5 7 7 9
White Black/Afr American	1, 579 14	90 1	(under 2,500 Births Perce 107 6. 2 14. 1 6. 3 4. 2 4.	gm) ent 8 3 7 1	Bi rths 1, 387 12 10 53 20	i mester Percent 88 86 67 72 42	2nd Tri Bi rths 119 1 4 14 20	mester Percent 8 7 27 19 42	Other/ Bi rths 73 1 1	Percent 5 7 7
White Black/Afr American	1, 579 14	90 1	(under 2,500 Births Perce 107 6. 2 14. 1 6. 3 4.	gm) ent 8 3 7 1	Bi rths 1, 387 12 10 53	i mester Percent 88 86 67 72	2nd Tri Births 119 1 4 14	mester Percent 8 7 27 19	0ther/ Bi rths 73 1 1 7	Percent 5 7 7 9
White Black/Afr American	1, 579	90 1	(under 2,500 Births Perce 107 6. 2 14. 1 6. 3 4. 2 4. 2 13.	gm) ent 8 3 7 1 2	Bi rths 1, 387 12 10 53 20	i mester Percent 88 86 67 72 42 87	2nd Tri Bi rths 119 1 4 14 20 2	mester Percent 8 7 27 19 42 13	0ther/ Bi rths 73 1 1 7 8	Percent 5 7 7 9
White Black/Afr American	1, 579 14 15 74 48 15	90 1 1 4 3 1	(under 2,500 Births Perce 107 6. 2 14. 1 6. 3 4. 2 4. 2 13. Low Birthweig	gm) ent 8 3 7 1 2 3	Bi rths 1, 387 12 10 53 20 13	i mester Percent 88 86 67 72 42 87 Tri mest	2nd Tri Births 119 1 4 14 20 2	mester Percent 8 7 27 19 42 13 t Prenatal	0ther/ Bi rths 73 1 1 7 8	Percent 5 7 7 9 17
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown	1, 579 14 15 74 48 15	90 1 1 4 3 1	(under 2,500 Births Perce 107 6. 2 14. 1 6. 3 4. 2 4. 2 13. Low Birthweig (under 2,500	gm) ent 8 3 7 1 2 3 ght gm)	Bi rths 1, 387 12 10 53 20 13 	i mester Percent 88 86 67 72 42 87 Tri mest i mester	2nd Tri Births 119 1 4 14 20 2 ter of Firs 2nd Tri	mester Percent 8 7 27 19 42 13t Prenatal mester	0ther/ Bi rths 73 1 1 7 8 Vi si t 0ther/	Percent
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother	1, 579 14 15 74 48 15 Fe Bi rths	90 1 1 4 3 1 	(under 2,500 Births Perce 107 6. 2 14. 1 6. 3 4. 2 4. 2 13. Low Birthweig	gm) ent 8 3 7 1 2 3 ght gm)	Bi rths 1, 387 12 10 53 20 13 	i mester Percent 88 86 67 72 42 87 Tri mest	2nd Tri Births 119 1 4 14 20 2	mester Percent 8 7 27 19 42 13t Prenatal mester	0ther/ Bi rths 73 1 1 7 8 Vi si t 0ther/	Percent 5 7 7 9 17
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15	1, 579 14 15 74 48 15 	90 1 4 3 1 ertility Rate 	(under 2,500 Births Perce 107 6. 2 14. 1 6. 3 4. 2 13. Low Birthweig (under 2,500 Births Perce	gm) ent 8 3 7 1 2 3 ght gm) ent	Bi rths 1, 387 12 10 53 20 13 1st Tr Bi rths	i mester Percent 88 86 67 72 42 87 Tri mest i mester Percent	2nd Tri Births 119 1 4 14 20 2 ter of Firs 2nd Tri Births	mester Percent 8 7 27 19 42 13t Prenatal mester Percent	Other/Births 73 1 1 7 8 Vi si t Other/Births	Percent 5 7 9 17
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17	1, 579 14 15 74 48 15 Fe Bi rths 0 40	90 1 4 3 1 	(under 2,500 Births Perce 107 6. 2 14. 1 6. 3 4. 2 13. 	gm) ent 8 3 7 1 2 3 ght gm) ent	Bi rths 1, 387 12 10 53 20 13 1st Tr Bi rths	i mester Percent 88 86 67 72 42 87 Tri mest i mester Percent . 63	2nd Tri Births 119 1 4 14 20 2 ter of Firs 2nd Tri Births	mester Percent 8 7 27 19 42 13t Prenatal mester Percent . 28	Other/Births 73 1 1 7 8 Vi si t Other/Births . 4	Percent 5 7 7 9 17 'Unknown Percent 10
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19	1, 579 14 15 74 48 15 	90 1 4 3 1 	(under 2,500 Bi rths Perce 107 6. 2 14. 1 6. 3 4. 2 13	gm) ent 8 3 7 1 2 3 ght gm) ent 5	Bi rths 1, 387 12 10 53 20 13 1st Tr Bi rths	i mester Percent 88 86 67 72 42 87 Tri mest i mester Percent . 63 64	2nd Tri Births 119 1 4 14 20 2 ter of Firs 2nd Tri Births 11	mester Percent 8 7 27 19 42 13 t Prenatal mester Percent . 28 25	0ther/Births 73 1 1 7 8	Percent 5 7 7 9 17
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24	1, 579 14 15 74 48 15 	90 1 4 3 1 	(under 2,500 Bi rths Perce 107 6. 2 14. 1 6. 3 4. 2 13	gm) ent 8 3 7 1 2 3 ght gm) ent 5 3	Bi rths 1, 387 12 10 53 20 13 1st Tr Bi rths	i mester Percent 88 86 67 72 42 87 Tri mest i mester Percent . 63 64 79	2nd Tri Births 119 1 4 14 20 2 ter of Firs 2nd Tri Births 11 24	mester Percent 8 7 27 19 42 13 t Prenatal mester Percent . 28 25 14	0ther/Births 73 1 1 7 8	Percent 5 7 7 9 17 'Unknown Percent 10 11 7
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29	1, 579 14 15 74 48 15 	90 1 4 3 1 	(under 2,500 Bi rths Perce 107 6. 2 14. 1 6. 3 4. 2 13	gm) ent 8 3 7 1 2 3 ght gm) ent 5 3 8 0	Bi rths 1, 387 12 10 53 20 13 1st Tr Bi rths	i mester Percent 88 86 67 72 42 87 Tri mest i mester Percent . 63 64 79 91	2nd Tri Births 119 1 4 14 20 2 ter of Firs 2nd Tri Births . 11 24 56 30	mester Percent 8 7 27 19 42 13 t Prenatal mester Percent . 28 25 14 6	0ther/Births 73 1 1 7 8	Percent
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34	1, 579 14 15 74 48 15 	90 1 4 3 1 	(under 2,500 Bi rths Perce 107 6. 2 14. 1 6. 3 4. 2 13	gm) ent 8 3 7 1 2 3 ght gm) ent 5 3 8 0 0	Bi rths 1, 387 12 10 53 20 13 1st Tr Bi rths	i mester Percent 88 86 67 72 42 87 Tri mest i mester Percent . 63 64 79 91 92	2nd Tri Births 119 1 4 14 20 2 ter of Firs 2nd Tri Births . 11 24 56 30 22	mester Percent 8 7 27 19 42 13 t Prenatal mester Percent . 28 25 14 6 5	Other/Births 73 1 1 7 8	Percent 5 7 7 9 17 'Unknown Percent 10 11 7 4 3
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	1, 579 14 15 74 48 15 	90 1 4 3 1 	(under 2,500 Bi rths Perce 107 6. 2 14. 1 6. 3 4. 2 13	gm) ent 8 3 7 1 2 3 ght gm) ent 5 3 8 0 0 5	Bi rths 1, 387 12 10 53 20 13 1st Tr Bi rths . 25 61 313 486 408 182	i mester Percent 88 86 67 72 42 87 Tri mest i mester Percent . 63 64 79 91 92 91	2nd Tri Births 119 1 4 14 20 2 ter of Firs 2nd Tri Births . 11 24 56 30 22 10	mester Percent 8 7 27 19 42 13 t Prenatal mester Percent . 28 25 14 6 5 5	Other/Births 73 1 1 7 8	Percent 5 7 7 9 17
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+	1, 579 14 15 74 48 15 Fe Bi rths 0 40 96 397 537 444 201 30	90 1 4 3 1 	(under 2,500 Bi rths Perce 107 6. 2 14. 1 6. 3 4. 2 13	gm) ent 8 3 7 1 2 3 ght gm) ent 5 3 8 0 0 5	Bi rths 1, 387 12 10 53 20 13 1st Tr Bi rths	i mester Percent 88 86 67 72 42 87 Tri mest i mester Percent . 63 64 79 91 92	2nd Tri Births 119 1 4 14 20 2 ter of Firs 2nd Tri Births . 11 24 56 30 22	mester Percent 8 7 27 19 42 13 t Prenatal mester Percent . 28 25 14 6 5	Other/Births 73 1 1 7 8	Percent 5 7 7 9 17 'Unknown Percent 10 11 7 4 3
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	1, 579 14 15 74 48 15 	90 1 4 3 1 	(under 2,500 Bi rths Perce 107 6. 2 14. 1 6. 3 4. 2 13	gm) ent 8 3 7 1 2 3 ght gm) ent 5 3 8 0 0 5 7	Bi rths 1, 387 12 10 53 20 13 1st Tr Bi rths . 25 61 313 486 408 182	i mester Percent 88 86 67 72 42 87 Tri mest i mester Percent . 63 64 79 91 92 91	2nd Tri Births 119 1 4 14 20 2 ter of Firs 2nd Tri Births . 11 24 56 30 22 10	mester Percent 8 7 27 19 42 13 t Prenatal mester Percent . 28 25 14 6 5 5	Other/Births 73 1 1 7 8	Percent 5 7 7 9 17
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+	1, 579 14 15 74 48 15 Fe Bi rths 0 40 96 397 537 444 201 30	90 1 4 3 1 	(under 2,500 Bi rths Perce 107 6. 2 14. 1 6. 3 4. 2 4. 2 13	gm) ent 8 3 7 1 2 3 ght gm) ent 5 3 8 0 0 5 7	Bi rths 1, 387 10 53 20 13 1st Tr Bi rths 25 61 313 486 408 182 20	i mester Percent 88 86 67 72 42 87 Tri mest i mester Percent . 63 64 79 91 92 91	2nd Tri Bi rths 119 1 4 14 20 2 ter of Firs 2nd Tri Bi rths . 11 24 56 30 22 10 7	mester Percent 8 7 27 19 42 13 t Prenatal mester Percent . 28 25 14 6 5 5 23	0ther/Births 73 1 1 7 8 Vi si t 0ther/Births . 4 11 28 21 14 9 3	Percent

MORBI DI TY			MOI	RTALLTY			
	Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births.						
Di sease Campyl obacter Enteritis Gi ardi asis Hepatitis Type A Hepatitis Type B** Hepatitis NANB/C Legi onnai re's Lyme Measl es Meni ngi tis, Aseptic Meni ngi tis, Bacterial Mumps Pertussis Sal monel Losis Mumber Mumber 41 0 0 0 0 0 0 0 0 0 0 0 0 0	TOTAL DEATHS	Deaths 4 . 9 . 25 . 110 . 129 . 203 . 347 . 477	Rate	Sel ected Underlying Cause Heart Disease (total) Ischemic heart disease Cancer (total) Trachea/Bronchus/Lung Colorectal Female Breast Cerebrovascular Disease Lower Resp. Disease Pneumonia & Influenza Accidents Motor vehicle Diabetes	340 212 e 192 120 306 191 79 49 24 15 21 26* e 96 60 58 36 33 21 64 40 29 18		
Shi gel I osi s <5 Tubercul osi s <5	Infant			Infect. /Parasitic Dis. Suicide	22 14 21 13		
 * 2003 provisional data. ** Includes all positive HBsAg test results. 	Mortality Total Infant Neonatal Postneonatal Unknown	Deaths 11 8 3	Rate	* Based on female popul ALCOHOL AND DRUG ABUSE OR CONTRIBUTING CAUS	AS UNDERLYING SE OF DEATH		
Sexually Transmitted Disease Chlamydia Trachomatis 289 Genital Herpes 181 Gonorrhea 53 Syphilis 0	Race of Mother White Black Hispanic Laotian/Hmong Other/Unknown			Al cohol Other Drugs Both Mentioned * Includes tobacco use MOTOR VEHICLI Note: These data are ba	(see page 7). E CRASHES		
Children in Grades K-12 by Compliance Level Compliant 26,128 Non-compliant 98 Percent Compliant 99.6	Birthweight <1,500 gm 1,500-2,499 gm 2,500+ gm Unknown Perinatal Mortality Total Perinatal Neonatal Fetal	Doaths	Rate 11.4	Type of Motor Vehicle Crash Total Crashes Alcohol-Related With Citation: For OWl For Speeding Motorcyclist Bicyclist Pedestrian	Persons Persons Injured Killed 1,647 22 179 7		

				- 2003 HOSP	TALIZATIONS					
	Per Av	verage		Charge				Average		Charge
DI SEASE /	1, 000	Stay	Average	Per	DI SEASE /		1,000	Stay	Average	
AGE GROUP Number		(Days)		Capi ta	DI SEASE / AGE GROUP	Number	Pop	(Days)	Charge	Capi ta
		()-/	g-				[-	(=) - /	3.	
Injury-Related: All					Al cohol -Rel ated					
Total 1, 164	7. 3	4. 6	\$15, 502	\$113	Total	387	2. 4	2. 4	\$3, 253	\$8
<18 77	2. 1	2. 4	\$11, 697	\$24	18-44	215	3. 3	2. 1	\$2, 587	\$9
18-44 300	4. 6	3. 4	\$12, 803	\$59	45-64	143	3. 8	2. 6	\$3, 540	\$14
45-64 254	6.8		\$20, 841	\$141	Pneumonia and I		5. 0	2. 0	Ψ3, 340	Ψ14
65+ 533	26. 7	5. 7 5. 0	\$15, 027	\$401	Total	493	3. 1	4. 4	\$9, 114	\$28
Injury: Hip Fracture	20. /	5.0	\$13,027	⊅40 I	10tal <18	493 50	1. 3	3. 3	\$9, 114 \$8, 265	\$20 \$11
Total 149	0. 9	5. 5	\$16, 314	\$15	45-64		1. 3			\$11 \$18
						63		4. 1	\$10, 738	
65+ 134	6. 7	5. 6	\$16, 382	\$110	65+	336	16. 8	4. 5	\$8, 769	\$148
Injury: Poisonings	0.7	4 -	44.070		Cerebrovascul ar		0.0		440 400	404
Total 118	0. 7	1. 7	\$4, 979	\$4	Total	376	2. 3	3. 8	\$13, 129	\$31
18-44 70	1. 1	1. 5	\$4, 183	\$4	45-64	83	2. 2	3. 6	\$16, 994	\$38
					65+	273	13. 7_	3. 6	\$11, 181	\$153
Psychi atri c					Chronic Obstruc	tive Pulm	onary D	i sease		_
Total 1, 234	7. 7	6.6	\$5, 187	\$40	Total	247	1. 5	3. 5	\$7, 224	\$11
<18 257	6. 9	9. 2	\$6, 502	\$45	<18	38	1. 0	1. 8	\$3, 445	\$4
18-44 621	9. 5	6. 1	\$4, 809	\$46	18-44 45-64	36	0.6	2. 3	\$5, 109	\$3
45-64 234	6. 2	5. 7	\$4, 454	\$28	45-64	54	1. 4	3. 4	\$7, 362	\$11
65+ 122	6. 1	5. 1	\$5, 746	\$35	65+	119	6.0	4. 5	\$9,007	\$54
					Drug-Rel ated					
Coronary Heart Disease					Total	61	0. 4	7. 2	\$5, 880	\$2
Total 715	4. 5	3. 3	\$23, 857	\$106	18-44	36	0.6	3. 3	\$3, 311	\$2
45-64 229	6. 1	2. 9	\$25, 715	\$157						
65+ 457	22. 9	3. 5	\$23, 094	\$529	Total Hospitali	zati ons				
					Total	15, 928	99. 4	3. 9	\$10,077	\$1,002
Malignant Neoplasms (Ca	ncers): A	114			<18	2, 906	77.7	3. 3	\$5, 174	\$402
Total 563	3. 5		\$18, 882	\$66	18-44	4, 347	66. 5	3. 1	\$6, 550	\$436
18-44 51	0.8	6.1	\$27, 357	\$21	45-64	3, 075	82. 1	4. 1	\$13, 760	\$1, 129
45-64 186	5. 0	5 9	\$19, 778	\$98	65+	5, 600	280. 5	4. 6		\$3, 741
65+ 323	16. 2	5.7	\$16, 434	\$266		3, 000	200. 0	ч. О	ψ10, 007	Ψ5, 741
Neoplasms: Female Bre	ast (rate	os for	female no	nulation)	PR	EVENTARI E	HOSPI T	ΔΙΙΖΔΤΙ	ONS*	
Total 24	0.3	3. 1	\$13, 369	\$4	Total	1, 774	11. 1	3. 8	\$8, 396	\$93
Neoplasms: Colo-recta		J. I	ψ13, 307	Ψ4	10tal <18	223	6.0	2. 3	\$5, 082	\$30
Total 86	0. 5	7 6	\$19, 397	\$10	18_11	202	3. 1	2. 3 3. 1	\$5, 062 \$7, 388	\$30 \$23
65+ 64	3. 2		\$19, 397 \$19, 975	\$64	18-44 45-64	202 294	3. 1 7. 8	3. ī 3. 5	\$7, 300 \$9, 089	ุฐ∠3 \$71
	ა. ∠	1.0	φ17, 7/O	Ф04	45-64 65+	1, 055	7. 8 52. 8	3. 5 4. 3	\$9, 089 \$9, 096	\$71 \$481
Neoplasms: Lung Total 50	0. 3	E 0	\$18, 221	\$6	00+	1, 055	52.8	4. 3	Φ9, U90	⊅48 I
101ai 50	0. 3	5. 9	ΦΙ Ό, ΖΖΙ	ΦO						
Diabotos					* ! oon; +o!; -o+;	for sore	itions	whore +	imaly and	offoot!
Di abetes	0.0	2 7	¢10 402	¢Ω	* Hospitalizations	LOL COUG	1 LI ONS	where t	illery and	errective
Total 142 65+ 50	0. 9 2. 5	ა. / 4 ნ	\$10, 493	\$9	ambulatory care ca	ii reduce	the ITK	ei i 11000	or nospi	tai i Zati on.
00+ 50	2. 5	4. 5	\$9, 737	\$24						
					l					